




# Agriculture



# PVC CABLES



**LATTEYS INDUSTRIES LIMITED**

Plot No. 16, Phase 1/2, GIDC Estate, Naroda, Ahmedabad-382330, Gujarat  
[www.latteysindustries.com](http://www.latteysindustries.com) | [info@latteysindustries.com](mailto:info@latteysindustries.com)


Customer care: +91 78618 13632

OFFICES: AHMEDABAD | DELHI | JAIPUR  
KANPUR | PATNA | GWALIOR

# Agriculture



## 3 Core Flat Cable



### 3 CORE FLAT CABLE

LATTEYS THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	7900
13713051	2.50	12230
13703061	4.00	18240
13803071	6.00	26690
13803081	10.00	46360
13803091	16.00	71840

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	112350
13803111	35.00	155530
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

LATTEYS THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	8300
13863059	2.50	12840

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	19150

LATTEYS THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	28030
13823089	10.00	48680
13823099	16.00	75430

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	117970
13823119	35.00	163310

### 3 CORE FLAT CCA CABLES

LATTEYS THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	17390
13853089	14	140/.36	28880
13853099	23	226/.36	45890

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	67680
13853119	50	594/.36	93290

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables



## PVC Insulated Winding Wires

### PVC INSULATED WINDING WIRES

LATTEYS PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	490	1000	6
13000602	0.60	490	500	6
13000701	0.70	660	1000	6
13000702	0.70	660	500	6
13000801	0.80	850	1000	6
13000802	0.80	850	500	6
13000901	0.90	1060	1000	5
13000902	0.90	1060	500	6
13001001	1.00	1300	1000	5
13001002	1.00	1300	500	6
13001101	1.10	1560	1000	4
13001102	1.10	1560	500	6
13001201	1.20	1840	1000	4
13001202	1.20	1840	500	6
13001301	1.30	2150	1000	3
13001302	1.30	2150	500	6
13001402	1.40	2500	500	5
13001502	1.50	2860	500	5
13001602	1.60	3250	500	4
13001702	1.70	3650	500	4
13001802	1.80	4100	500	4
13001902	1.90	4560	500	3
13002002	2.00	5080	500	3
13002102	2.10	5590	500	3
13002202	2.20	6120	500	2
13002302	2.30	6680	500	2
13002402	2.40	7280	500	2
13002502	2.50	7890	500	2
13002602	2.60	8520	500	2
13002702	2.70	9170	500	2
13002804	2.80*	9890	250	3
13003004	3.00*	11320	250	2

NOTE : The items marked as \* are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PACKING : Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

<b>NOTES</b>	
1. Prices	GST extra as applicable.
2. Printing	LATTEYS industrial cables are printed with Company Name, Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example :</p> <p>22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m</p> <p>22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.